



10-2-00
Attorney's Docket No.:
020431.0737

A
PATENT

Page 1

Express Mail No.: EL501043712US

PATENT APPLICATION

Attorney Docket No.: 020431.0737



First Named Inventor:

(Or Application Identifier)

Jason R. English

TRANSMITTAL FOR U.S. PATENT APPLICATION
UNDER 37 C.F.R. § 1.53(b)

Box: Patent Application
ASSISTANT COMMISSIONER FOR PATENTS
Washington, DC 20231

Sir:

Transmitted herewith for filing is the patent application entitled:

APPLICATION-DRIVEN SCHEDULING SYSTEM AND METHOD

The enclosed application is:

X Original

Enclosed are:

X Specification, Claims and Abstract (23 Total Pages)

X Drawing(s) (3 Total Sheet(s) of X Formal Informal)

X Combined Declaration and Power of Attorney (3 Total Pages)

X Newly executed (original or copy)

X An Assignment of the invention to i2 Technologies, Inc. is attached. A separate cover sheet in compliance with 37 C.F.R. § 3.28 and § 3.31 is included with an Assignment recordal fee of \$40.00 pursuant to 37 C.F.R. § 1.21(h).

X Return Receipt Postcard

Applicant is a X large small entity.

FEE CALCULATION (LARGE ENTITY)					FEE
	Number		Number Extra	Rate	<u>Basic Fee</u> \$690.00
Total Claims:	30	-20 =	10	X \$18.00	\$180.00
Independent Claims	5	- 3 =	2	X \$78.00	\$156.00
TOTAL FILING FEE =					\$1,026.00

 X Enclosed is a check in the amount of \$1,026.00 for fees.

 X Please charge any additional fees required by this paper to Deposit Account No. 02-0384 of BAKER BOTTS L.L.P. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

BAKER BOTTS L.L.P.



Christopher W. Kennerly
Reg. No. 40,675
Attorneys for Applicants

Dated: 9/27/00

/bt
2001 Ross Avenue
Dallas, Texas 75201-2980
(214) 953-6812

APPLICATION-DRIVEN SCHEDULING SYSTEM AND METHOD

TECHNICAL FIELD OF THE INVENTION

This invention relates in general to computer-implemented scheduling systems and more particularly to an application-driven scheduling system and method.

2

006260" 40452960

BACKGROUND OF THE INVENTION

Individual and business users often rely on electronic scheduling applications to help plan and organize personal and business activities over various time horizons. For example, an individual might use an electronic calendar application to schedule tasks, meetings, appointments, and the like. Similarly, a project manager in a business might use an application that generates Gantt charts to schedule various project tasks, phases, and associated due dates. Such applications typically require a user to manually input items to be scheduled (at least once even for recurring items), require fairly extensive memory and processing overhead, and cannot be readily incorporated into the software associated with a web server so as to be available to multiple users over the Internet or business intranet.

If scheduling software is associated with a website, such as an intranet website associated with a distributor of goods, the software will typically merely support a text listing or text spreadsheet of application-generated schedule items. For example, such software might generate a list of purchase orders received, a list of the orders fulfilled, and a list of alerts. Such lists are often difficult for personnel to meaningfully interpret and address, if necessary, particularly where such business activity occurs rapidly and substantially continuously during the business day. If corresponding graphics are to be generated in an effort to make this information more accessible to personnel, relatively heavy server-side processing and rendering logic, proprietary graphics tools, and other capabilities are typically required. Even when they can be generated, such graphics are often difficult for unsophisticated users to interpret, may require excessive scrolling or other manipulations due to their size in relation to browser windows of the users, and may have other deficiencies. Any one of these or other disadvantages are sufficient to make previous scheduling techniques inadequate for the needs of many users.

SUMMARY OF THE INVENTION

According to the present invention, problems and disadvantages associated with previous scheduling techniques are substantially reduced or eliminated.

According to one embodiment, an application-driven scheduling system includes
5 a scheduling engine that receives at least one schedule item and time information for the item from at least one application. The scheduling engine determines whether the time information for the item satisfies one or more schedule criteria and, if so, determines a location for the item in a schedule according to the time information. The scheduling engine generates the schedule containing the item and a rendering engine renders the
10 schedule for display to at least one user. In a more particular embodiment, the schedule may include one or more cells, where the location for the item is in a particular cell, the scheduling engine determining the location for the item within the cell according to the time information based on a percentage of the width of the cell. In another particular embodiment, the item may be incorporated into the schedule dynamically in response to
15 its generation at the application.

The present invention provides a number of technical advantages over previous techniques. The present invention allows an application-driven schedule to be generated dynamically in response to events, alerts, or other schedule items received from one or more applications. The items and associated information may be generated on the fly
20 from within virtually any planning, business, or other workflow, without requiring the extensive processing overhead, memory, bandwidth, and other resources often required with prior scheduling systems. A schedule may be generated as part of a web page in Hypertext Markup Language (HTML) format, such that any authorized user having an HTML-enabled front end may view the schedule, without necessitating an embedded
25 client-side interface or proprietary graphics tools.

The schedules generated according to the present invention allow one or more simultaneous users to more readily identify, interpret, and appreciate the significance of events, alerts, and other schedule items, such that a user may better plan, organize, and respond to such items. The user may be able to brush over images associated with the
30 items to obtain overview information or click on such images to obtain more detailed information, perhaps enabling problem-resolution or other item-related activities from within the schedule. These schedules may also be readily customized, personalized, or otherwise modified according to particular needs.

006260" 0452960

Systems and methods incorporating one or more of these or other advantages are well suited for modern scheduling environments such as those associated with Internet websites or electronic marketplaces, business intranets, and various other environments. Other technical advantages will be readily apparent to those skilled in the art from the following figures, descriptions, and claims.

006260" 20492960

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 illustrates an exemplary application-driven scheduling system; and

FIGURE 2 illustrates an exemplary weekly schedule;

FIGURE 3 illustrates an exemplary daily schedule;

5 FIGURE 4 illustrates an exemplary cell of a schedule;

FIGURE 5 illustrates exemplary syntax for incorporating an exemplary schedule item into a schedule; and

FIGURE 6 illustrates an exemplary method of generating an application-driven schedule.

10

006260-20492960

DETAILED DESCRIPTION OF THE INVENTION

FIGURE 1 illustrates an exemplary scheduling system 10 that interacts with one or more applications 12 to generate flexible application-driven schedules accessible to one or more users 14. Applications 12 may include any suitable software applications capable of generating items to be incorporated in schedules, for example, events, alerts, due dates, appointments, meetings, tasks, or any other appropriate schedule items. For example only and without limitation, a particular application 12 may include a demand planner, capacity planner, or other suitable supply chain planning engine. Associated schedule items might include, as examples, an event indicating a purchase order was received, an event indicating an order was fulfilled, a due date indicating the promised date for fulfillment of the order, and an alert indicating the promised date has passed without order fulfillment. Users 14 may be any suitable entities that access schedules generated at system 10, either autonomously or according to input from one or more associated persons. For example, user 14 may be the shipping manager for a distributor of goods who periodically accesses schedules to readily determine which orders are in process, which orders are overdue, and other information that may be pertinent to the responsibilities of user 14.

Applications 12 and users 14 are coupled to system 10 using links 16 that each include one or more local area networks (LANs), metropolitan area networks (MANs), wide area networks (WANs), a global computer network such as the Internet, or other wireline, wireless, or other suitable links. In one embodiment, the system 10 may be associated with an electronic business-to-business ("B2B") marketplace that facilitates B2B transactions between users 14 over the Internet. According to activities of these users 14, system 10 may access one or more applications 12 to retrieve information that the system 10 makes available to users 14 in the form of application-driven schedules. System 10 may communicate schedules to users 14 in the form of Hypertext Markup Language (HTML) pages, Extensible Markup Language (XML) pages, or in any other scripted page or other suitable format. Although HTML pages are primarily described, the present invention contemplates any appropriate page, file, document, or other data representation. Therefore, where appropriate, references to a page or pages should be construed to encompass all such representations and should not be construed as limiting the scope of the invention to any particular representation. Furthermore, reference to a page is intended to include the displayed image of the page (in a browser window for

example) in addition to underlying HTML or other code used to generate the displayed image, where appropriate.

In one embodiment, system 10 includes a scheduling engine 18 that receives a schedule request from a user 14, obtains information from one or more applications 12 used in generating the requested schedule, and generates the content for the requested schedule accordingly. A rendering engine 20 formats the schedule content generated at scheduling engine 18 into an HTML or other page for communication to the user 14. Although the page might include only a displayed image and associated code for one schedule, the page will typically include one or more other elements in addition to the schedule (including its displayed image and associated code). For example, a page that contains a schedule for the shipping manager discussed above might provide additional useful information to the manager outside the region that the schedule occupies. Web server 22 pushes the page containing the requested schedule, as generated according to operations of scheduling engine 18 and rendering engine 20, to user 14. The schedule request from user 14 may specify one or more suitable parameters to control content, appearance, or other features of the requested schedule. For example, the request might restrict the schedule to a particular time period.

In one embodiment, the user 14 may be required to communicate a Hypertext Transfer Protocol (HTTP) request to web server 22 each time user 14 wants to receive a page containing a schedule. The HTTP request identifies a stored page containing the desired schedule using a uniform resource locator (URL) or other appropriate address within the HTTP request. A schedule, and thus any pages containing the schedule, may be updated substantially continuously as applications 12 interact with scheduling engine 18, periodically based upon interactions between applications 12 and scheduling engine 18 in a preceding period, or in any other suitable manner. In response to the user 14 connecting to web server 22 through the HTTP request, the web server 22 retrieves the identified page (rendered for display using rendering engine 20) and communicates the page to user 14, where an associated web browser displays the page for viewing. To receive a more recently generated schedule, user 14 would in this embodiment need to communicate another HTTP request to web server 22.

In another embodiment, a user 14 may support software suitable to provide the functionality of scheduling engine 18 and rendering engine 20, making HTTP requests from user 14 to web server 22 unnecessary. Instead, applications 12 may communicate

005260 2045260

information directly to user 14 to allow user 14 to generate a schedule and display the schedule in the form of a page or otherwise. For example, software associated with a user 14 might generate and display the schedule in the form of a "pop-up" window not associated with any HTML or other scripted page. The schedule may be updated with information from applications 12 substantially continuously, periodically, or in another manner. Although the applications 12 are described as the primary drivers of schedule content, the present invention contemplates user 14 providing any information to drive schedule content instead of or in addition to applications 12, according to the particular needs and capabilities present.

Applications 12, users 14, and system 10 are each associated with one or more computer systems at one or more locations. The computer systems may each include a suitable input device, such as a keypad, mouse, touch screen, microphone, or any other device to receive input. Each may include an output device that conveys information associated with the operation of system 10, such as visual, audio, or data information. Each may include storage media such as hard disks, "floppy" diskettes, CD-ROMs, or other media to receive input and provide output. Each computer system may further include one or more processors and associated memory to execute instructions and to manipulate information according to operations of system 10. An application 12 may share one or more computer systems or any other resources with other applications 12, one or more components of system 10, or one or more users 14. Similarly, each user 14 may share one or more computer systems or other resources with other users 14, one or more components of system 10, or one or more applications 12. In one embodiment, scheduling engine 18, rendering engine 20, and web server 22 share a server computer system associated with a website, electronic marketplace, or other location accessible to multiple users 14. Although discussed as being separate components, scheduling engine 18, rendering engine 20, and web server 22, or a combination of two or more of these components, may be implemented in whole or in part using a single program, module, application, or other software component.

FIGURE 2 illustrates an exemplary weekly schedule 30 that system 10 might generate in response to a request from a user 14 and according to information obtained from one or more applications 12. Schedule 30 spans one or more time periods 32 (in this case weeks) and may include one or more schedule items 34 within each of one or more categories 36. Each intersection of a time period 32 with a category 36 defines a

corresponding schedule cell 38 in which one or more items 34 may be presented to the user 14. Although schedule 30 is shown as substantially rectangular with substantially rectangular cells 38, the present invention contemplates schedule 30 and its constituent cells 38 having any appropriate configuration. As an example, it might be desirable in some cases to provide a substantially circular schedule 30 with "pie-shaped" cells 38. FIGURE 3 illustrates an exemplary daily schedule 30, analogous to the weekly schedule 30 illustrated in FIGURE 2 but spanning one or more days 32 and relating to another business (in this case an exemplary restaurant business). The time, date, or both time and date for an item 34 may be referred to as time information for the item 34.

According to the present invention, schedule items 34 may be incorporated in schedule 30 according to any appropriate criteria. In one embodiment, a user 14 may specify one or more periods 32 to which schedule 30 is to be limited. An item 34 will therefore be incorporated into the schedule 30 only if the item 34 occurs or is otherwise associated with one of the specified periods 32. For example, as shown in FIGURE 2, when schedule 30 spans three weeks 32 beginning with the week of May 1, 2000, only items 34 that occur in or are otherwise associated with one of these three weeks 32 will be incorporated in schedule 30. The scheduling engine 18 may determine the time and date associated with an item 34 according to information received from one or more applications 12. A user 14 may increase or decrease the number of periods 32, or the length of the individual periods 32 to cause more or fewer items 34 to be displayed in schedule 30. Analogously, user 14 may specify the categories 36 to which schedule 30 will be limited. An item 34 would not be incorporated in schedule 30 if it did not fall within one of the specified categories 36. As described above, the user 14 may need to communicate a new HTTP request to receive the expanded or contracted (in time, with respect to categories 36, or otherwise) schedule 30. Alternatively, user 14 might be able to modify the schedule 30 in substantially real time, for example, if the schedule 30 is displayed as a pop-up window generated using software running at user 14.

User 14 may specify one or more thresholds to customize schedule 30. In one embodiment, these thresholds must be crossed before corresponding items 34 will be incorporated in schedule 30. As an example, an alert item 34 might be associated with inventory levels dropping below a specified threshold. The alert item 34 will not be incorporated unless and until the specified threshold is crossed. When the threshold is crossed, an application 12 may communicate this fact to scheduling engine 18 and the

corresponding item 34 may be incorporated in schedule 30. Such alert items 34 might vary according to severity. For example, a warning alert item 34 may be generated in response to inventory levels dropping below a first specified threshold, while a severe alert item 34 might be generated in response to inventory levels dropping to zero (the second specified threshold). The present invention contemplates any suitable criteria to control the incorporation of items 34 into schedule 30 and the appearance of items 34 within schedule 30.

A schedule item 34 may be represented in a schedule 30 using any appropriate Graphics Interface Format (GIF) file or other suitable image. For example, and not by way of limitation, a flag image may represent an event item 34 (e.g., purchase order received), a checkmark image may represent a due date item 34 (e.g., promised delivery date), a yellow exclamation point image may represent a warning alert item 34 (e.g., inventory levels dropping below a first threshold), a red exclamation point image may represent a severe alert item 34 (e.g., inventory levels dropping below a second lower threshold), a handshake image may represent a meeting or appointment item 34, and a dollar sign image may be used to represent a financial or budget related item 34. Any suitable images may be used according to particular needs. Items 34 of the same type may be distinguished from one another according to the color, shape, size, or another suitable characteristic of their respective images. The images of items 34 are preferably customizable, being selected from a pull-down menu for example, according to industry-specific, culture-specific, or other particular needs.

An image may include information obtained from one or more applications 12, further distinguishing the corresponding item 34 from other items 34 and more readily conveying associated information to the user 14. For example, a "PO-38" image may indicate that the purchase order for "Order 38" was received, an "OF-38" image may indicate that the "Order 38" was fulfilled, a yellow "!!-38" image may indicate that the promised delivery date for "Order 38" has passed without fulfillment, and a red "!!-38" icon may indicate that the promised date passed a specified number of days ago and fulfillment still has not occurred. In one embodiment, in response to user 14 rolling a mouse pointer over ("brushing") an item 34, pointing to item 34 on a touch screen, or otherwise selecting the item 34, an HTML alt tag or another appropriate statically or dynamically driven element 40 may be displayed over, instead of, or in association with the selected item 34. For example, if a warning alert item 34 has been incorporated into

schedule 30 in response to inventory levels dropping below twenty units, an associated alt tag element 40 may display a text message stating "Inventory below 20 units" when user 14 selects the item 34. The user 14 may be able to click on or otherwise select an item 34 to obtain more detailed information concerning the item 34, perhaps enabling
5 problem-resolution or other item-related activities from within the schedule 30. While HTML alt tags are primarily described, the present invention contemplates any element 40 to convey information in response to selection of an associated item 34.

System 10 may generates schedules 30 in connection with any suitable business or other endeavor. For example, as described above, schedule 30 may relate to on-line or
10 other order processing and fulfillment operations. More broadly, schedule 30 may relate to any suitable supply chain planning activity. As an example, schedule 30 may allow factory planning personnel to readily identify supply, capacity, or other shortages over a specified time periods 32, possibly across multiple manufacturing operations within a factory or even across multiple factories, and then drill down using element 40 to obtain
15 additional information concerning the shortages. As another example, schedule 30 may relate to operations of a public utility and allow field maintenance personnel to readily identify appointments, determine their nature and urgency, and drill down using element 40 to obtain additional information associated with a specific job ticket. As yet another example, schedule 30 may allow a restaurant manager to readily identify overbookings,
20 staffing shortages, and inventory shortages and respond accordingly. As still another example, schedule 30 may allow an on-line consumer to readily identify anniversaries, birthdays, and other events and then select a link within the associated page to access a preferred website for the person associated with the event. Those skilled in the art will appreciate that these are merely exemplary uses of schedules 30. Schedules 30 may be
25 used in any suitable context without departing from the intended scope of the present invention.

In one embodiment, each schedule item 34 (assuming it satisfies the criteria for incorporation in schedule 30) is first associated with an appropriate cell 38 based on the time period 32 with which the item 34 is associated. For example, if an event item 34
30 will occur on May 3, 2000 and schedule 30 includes three weeks 32 beginning with the week 32 of May 1, 2000, item 34 may be placed in cell 38 for the week 32 of May 1, 2000. Similarly, if an event item 34 will occur at 10:00 a.m. on May 3, 2000 and the schedule 30 includes seven days 32 beginning with May 1, 2000, the item 34 may be

0065260 20452960

placed in cell 38 for May 3, 2000. The placement of item 34 within its appropriate cell 38 may be determined based on the date (within a weekly time period 32) or the time (within a daily time period 32) associated with item 34 in relation to a percentage of the horizontal width of cell 38.

5 For example, referring to FIGURE 4, given a cell 38 of horizontal width 42 that spans the time period 32 between 8:00 a.m. and 6:00 p.m., an event item 34a may occur at 8:18 a.m. (eighteen minutes or three percent into time period 32). Scheduling engine 18 would therefore generate item 34a for placement at a location 44a, three percent of horizontal distance 42 into the cell 38. In one embodiment, a location 44 specifies the
10 amounts by which the left-most pixel of a corresponding item 34 is separated from the left edge 48 of cell 38, although any suitable frame of reference may be used without departing from the intended scope of the present invention. Similarly, event item 34b may occur at 10:00 a.m. (two hours or twenty percent into time period 32). Therefore, scheduling engine 18 would generate item 34b for placement at a location 44b, twenty
15 percent of horizontal distance 42 into the cell 38. Empty space, or any other space not dedicated to an item 34, may be similarly specified or may be inferred according to the locations 44 for adjacent items 34 or boundaries of cell 38. For example, a space 50a between first item 34a and second item 34b might be specified according to a location 46a, and a space 50b between second item 34b and the right edge 52 of cell 38 may be
20 specified according to a location 46b.

In one embodiment, the above may be accomplished for an exemplary item 34 within schedule 30 using the syntax illustrated in FIGURE 5 (which is not intended to correspond with the precise syntax of HTML or any other programming language). In this example, for a purchase order received item 34, scheduling engine 18 obtains time
25 information from an appropriate application 12 and specifies a location 44 according to this time information as a percentage 54 of horizontal width 42 for the appropriate cell 38. A link 56 allows scheduling engine 18, rendering engine 20, or another component of system 10 to retrieve the appropriate GIF or other image 58 for item 34, which as described above will be incorporated in schedule 30 according to location 44. In this
30 example, image 58 may incorporate a purchase order number or other identifier 60, as shown, which may also be obtained from the application 12. Alternatively, image 58 may be the same for every purchase order received item 34, with the particular order number for each item 34 being provided using an associated alt tag 40. Alt tag 40 for

006260 20452960

exemplary item 34 displays a text message that the particular purchase order has been received, the purchase order number being obtained from application 12. Using this general syntax, or any other suitable syntax, system 10 is able to generate schedule 30 incorporating one or more items 34 in a flexible and application-driven manner. The
5 syntax preferably provides standard HTML commands that may be processed using a standard HTML parser and displayed using any HTML-enabled web browser or other front end.

FIGURE 6 illustrates an exemplary method of generating an application-driven schedule 30. The method is described with system 10 being separate from users 14 and
10 applications 12, such as where system 10 operates in connection with a website, on-line electronic marketplace, or other suitable location. However, as described above, one or more components of system 10, such as scheduling engine 18 and rendering engine 20, may be integral to the user 14 and may operate accordingly without departing from the intended scope of the present invention. The method begins at step 100, where user 14
15 communicates a schedule request to web server 22. In one embodiment, the schedule request explicitly or implicitly specifies one or more criteria to limit the duration, the scope, or other parameters of schedule 30 and its constituent items 34. The criteria, whether specified according to the schedule request or determined in another manner, may be stored for future reference so that user 14 need not specify the criteria each time
20 user 14 requests a schedule 30. Of course, user 14 would preferably be able to change one or more stored criteria according to particular needs.

At step 102, scheduling engine 18 receives information concerning one or more schedule items 34 from one or more applications 12. This information may include the time, date, name, number, description, type, category, or any other suitable information
25 concerning items 34. Scheduling engine 18 may store the information received after a preceding schedule request and use the stored information in responding to the current schedule request. In the alternative, scheduling engine 18 may process information for items 34 substantially continuously such that previously generated schedules 30 may be updated substantially continuously in substantially real time. At step 104, scheduling
30 engine 18 determines whether the items 34 satisfy the specified criteria and are eligible for incorporation into schedule 30. For example, an item 34 whose date lies outside the one or more time periods 32 specified for schedule 30 will not be incorporated. Such non-complying items 34 are discarded, stored, or otherwise eliminated at step 106. The

scheduling engine 18 preferably stores non-complying items 34 for incorporation into other schedules 30 having different criteria that these items 34 may satisfy. Such other schedules 30 might include a new schedule 30, a previously generated schedule 30 that has been modified, or any other suitable schedule 30.

5 At step 108, scheduling engine 18 incorporates the complying items 34 into the appropriate cells 38 of schedule 30 and at the appropriate locations 44 within these cells 38. In one embodiment, as described more fully above, location 44 for item 34 may be specified according to a percentage 54 of the horizontal width 42 of cell 38, based on time and/or date information received from one or more applications 12. However, the
10 present invention contemplates positioning items 34 in cells 38 in any suitable manner using any suitable frame of reference. At step 110, scheduling engine 18 may generate links 56 for retrieval of images 58 associated with the items 34 and, at step 112, may generate alt tags 40 for the items 34. As described above, scheduling engine 18 may incorporate information received from one or more applications 12, such as a purchase
15 order number, into images 58, alt tags 40, or both images 58 and alt tags 40.

 At step 114, rendering engine 20 renders schedule 30 according to the content generated at scheduling engine 18. In one embodiment, this may involve formatting an HTML page incorporating schedule 30 that is suitable for display at a web browser or other HTML-enabled front end. At step 116, web server 22 communicates schedule 30
20 to user 14, where user 14 may view schedule 30 and respond as appropriate to any item 34 contained therein. If the user 14 wishes to obtain another schedule 30 at step 118, either in the form of a new schedule 30, a modified version of the previously generated schedule (perhaps expanded or contracted with respect to duration, categories, or other parameters), or a refreshed schedule 30 incorporating items 34 processed at scheduling
25 engine 18 subsequent to generation of the previous schedule 30, the method returns to step 100, where user 14 communicates another schedule request to web server 22. As noted above, system 10 may update the schedule 30 substantially continuously in other embodiments, such that successive schedule requests may be unnecessary. If another schedule is not desired at step 118, the method ends.

30 Although the present invention has been described with several embodiments, a plethora of changes, substitutions, variations, alterations, and modifications may be suggested to one skilled in the art, and it is intended that the invention encompass all such

006260 20431.0737

changes, substitutions, variations, alterations, and modifications as fall within the spirit and scope of the appended claims.

005250" 40434960

WHAT IS CLAIMED IS:

1. An application-driven scheduling system, comprising:
a scheduling engine operable to:
receive at least one schedule item and associated time information from at
5 least one application;
determine whether the time information for the item satisfies one or more
schedule criteria;
if the time information satisfies the schedule criteria, determine a location
for the item within a schedule according to the time information; and
10 generate the schedule containing the item; and
a rendering engine operable to render the schedule for display to at least one user.
2. The system of Claim 1, wherein the item is incorporated into the schedule
dynamically in response to its generation at the application.
15
3. The system of Claim 1, wherein the schedule comprises one or more cells
and the location for the item is within a particular cell, the scheduling engine operable to
determine the cell for the item and determine the location for the item within the cell
according to the time information.
20
4. The system of Claim 3, wherein the location for the item within the cell is
determined according to a percentage of the width of the cell corresponding to the time
information.
- 25 5. The system of Claim 1, wherein the schedule criteria is received from a
user in association with a schedule request.
6. The system of Claim 1, wherein the schedule criteria comprises one or
more categories, the scheduling engine operable to determine a category for the item and
30 determine whether the category for the item satisfies the schedule criteria.

006260-20431.0737

7. The system of Claim 1, wherein the schedule is generated in Hypertext Markup Language (HTML) format as part of a web page, the system further comprising a web server operable to communicate the schedule to the user for display.

5 8. The system of Claim 1, wherein the scheduling engine is further operable to generate a link to an image associated with item, the rendering engine operable to use the link to retrieve the image for display at the location for the item.

9. The system of Claim 8, wherein the scheduling engine is further operable
10 to incorporate information received from the application concerning the item into the link for the item.

10. The system of Claim 1, wherein the scheduling engine is further operable
15 to generate an alt tag for the item, the alt tag comprising information concerning the item for display in response to the user selecting an image associated with the item.

11. The system of Claim 10, wherein the scheduling engine is further operable
20 to incorporate information received from the application concerning the item into the alt tag for the item.

12. The system of Claim 1, wherein the system is operable to generate the schedule for display to a plurality of users substantially simultaneously.

006560 40452960

13. An application-driven scheduling system, comprising:
a scheduling engine operable to:
receive at least one schedule item and associated time information from at
least one application in response to generation of the item at the application;
5 determine whether the time information for the item satisfies one or more
user-specified schedule criteria;
if the time information satisfies the schedule criteria, determine a location
for the item within a particular cell of a schedule comprising a plurality of cells according
to the time information, the location being determined according to a percentage of the
10 width of the cell corresponding to the time information; and
generate the schedule containing the item, the item being incorporated in
the schedule dynamically in response to its generation at the application; and
a rendering engine operable to render the schedule for display to a plurality of
user substantially simultaneously.
- 15
14. The system of Claim 13, wherein the schedule is generated in Hypertext
Markup Language (HTML) format as part of a web page, the system further comprising a
web server operable to communicate the schedule to the user for display.
- 20
15. The system of Claim 13, wherein the scheduling engine is further operable
to generate a link to an image associated with the item, the link incorporating information
received from the application concerning the item, the rendering engine operable to use
the link to retrieve the image for display at the location for the item.
- 25
16. The system of Claim 13, wherein the scheduling engine is further operable
to generate an alt tag for the item, the alt tag comprising information concerning the item
for display in response to the user selecting an image associated with the item.

006669 20431.0737

17. A method of generating application-driven scheduling system, the method comprising:

receiving at least one schedule item and associated time information from at least one application;

5 determining whether the time information for the item satisfies one or more schedule criteria;

if the time information satisfies the schedule criteria, determining a location for the item within a schedule according to the time information;

generating the schedule containing the item; and

10 rendering the schedule for display to at least one user.

18. The method of Claim 17, wherein the item is incorporated in the schedule dynamically in response to its generation at the application.

15 19. The method of Claim 17, wherein the schedule comprises one or more cells and the location for the item is within a particular cell, determining the location comprising determining the cell for the item and determining the location for the item within the cell according to the time information.

20 20. The method of Claim 19, wherein the location for the item within the cell is determined according to a percentage of the width of the cell corresponding to the time information.

21. The method of Claim 17, wherein the schedule criteria is received from a
25 user in association with a schedule request.

22. The method of Claim 17, wherein the schedule criteria comprises one or more categories, the method further comprising determining a category for the item and determining whether the category for the item satisfies the schedule criteria.

30

23. The method of Claim 17, wherein the schedule is generated in Hypertext Markup Language (HTML) format as part of a web page, the method further comprising communicating the schedule from a web server to the user for display.

005250" 40452960

24. The method of Claim 17, further comprising:
generating a link to an image associated with the item; and
using the link to retrieve the image for display at the location for the item.

5

25. The method of Claim 24, further comprising incorporating information
received from the application concerning the item into the link for the item.

26. The method of Claim 17, further comprising generating an alt tag for the
item, the alt tag comprising information concerning the item for display in response to the
user selecting an image associated with the item.

10

27. The method of Claim 26, wherein at least some of the information within
the alt tag is received from the application.

15

28. The method of Claim 17, wherein the schedule is generated for display to
a plurality of users substantially simultaneously.

006260 20452950

29. Software for generating an application-driven schedule, the software being embodied in a computer-readable medium and operable to:

receive at least one schedule item and associated time information from at least one application;

5 determine whether the time information for the item satisfies one or more schedule criteria;

if the time information satisfies the schedule criteria, determine a location for the item within a schedule according to the time information;

generate the schedule containing the item; and

10 render the schedule for display to at least one user.

006260" 20454960

30. An application-driven scheduling system, comprising:
means for receiving at least one schedule item and associated time information
from at least one application;
means for determining whether the time information for the item satisfies one or
5 more schedule criteria;
means for, if the time information satisfies the schedule criteria, determining a
location for the item within a schedule according to the time information;
means for generating the schedule containing the item; and
means for rendering the schedule for display to at least one user.

10

006260" 20431.0737

APPLICATION-DRIVEN SCHEDULING SYSTEM AND METHOD

ABSTRACT OF THE DISCLOSURE

An application-driven scheduling system (10) includes a scheduling engine (18) that receives at least one schedule item (34) and associated time information from at least one application (12). The scheduling engine (18) determines whether the
5 time information for the item (34) satisfies one or more schedule criteria and, if so, determines a location (44) for the item (34) within a schedule (30) according to the time information. The scheduling engine (18) generates the schedule (30) containing the item (34) and a rendering engine (20) renders the schedule (30) for display to at least one user (14). The schedule (30) may include one or more cells (38), with the
10 location (44) for the item (44) being in a particular cell (38), the scheduling engine (18) determining the location (44) for the item (34) within the cell (38) according to the time information based on a percentage of the width (42) of the cell (38). The item (34) may be incorporated into the schedule (30) dynamically in response to its generation at the application (12).

15




FIG. 2

30

Inventory 36	38	38	34	!	!	PopUp
Orders 36	38	38	34	!	!	Full
Revenue 36	38	38	34	!	!	Filter View
Staffing 36	38	38	34	!	!	weekly
	Week of may 1	Week of may 8	Week of may 15			5/1/2000 9:34am

32




FIG. 3




FIG. 4

$\underbrace{\langle \text{loc} = \langle \% \rangle}_{44} \underbrace{\langle \text{link} \langle \text{img} = \langle \text{PO_num} \rangle \rangle}_{54} \underbrace{\langle \text{alt} = \langle \text{"Order} \langle \text{PO_num} \rangle \text{received"} \rangle \rangle}_{56}$
 $\underbrace{\phantom{\langle \text{link} \langle \text{img} = \langle \text{PO_num} \rangle \rangle}}_{58} \underbrace{\phantom{\langle \text{alt} = \langle \text{"Order} \langle \text{PO_num} \rangle \text{received"} \rangle \rangle}}_{60} \underbrace{\phantom{\langle \text{alt} = \langle \text{"Order} \langle \text{PO_num} \rangle \text{received"} \rangle \rangle}}_{40} \underbrace{\phantom{\langle \text{alt} = \langle \text{"Order} \langle \text{PO_num} \rangle \text{received"} \rangle \rangle}}_{60}$

FIG. 5




FIG. 6

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that:

My residence, post office address and citizenship are as stated below next to my name; that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention or design entitled APPLICATION-DRIVEN SCHEDULING SYSTEM AND METHOD, the specification which is attached hereto; that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Number</u>	<u>Country</u>	<u>Date Filed</u>	<u>Priority Claimed</u> (Yes) (No)
N/A			

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

<u>Application Serial Number</u>	<u>Date Filed</u>	<u>Status</u>
--------------------------------------	-------------------	---------------

N/A

I hereby appoint:

Jerry W. Mills	Reg. No. 23,005
Robert M. Chiaviello, Jr.	Reg. No. 32,461
Ann C. Livingston	Reg. No. 32,479
Thomas R. Felger	Reg. No. 28,842
Charles S. Fish	Reg. No. 35,870
Kevin J. Meek	Reg. No. 33,738
T. Murray Smith	Reg. No. 30,222
Barton E. Showalter	Reg. No. 38,302
David G. Wille	Reg. No. 38,363
Bradley P. Williams	Reg. No. 40,227
Terry J. Stalford	Reg. No. 39,522
Christopher W. Kennerly	Reg. No. 40,675
Harold E. Meier	Reg. No. 22,428
Douglas M. Kubehl	Reg. No. 41,915
Samir A. Bhavsar	Reg. No. 41,617
Thomas R. Nesbitt, Jr.	Reg. No. 22,075
James J. Maune	Reg. No. 26,946
Roger J. Fulghum	Reg. No. 39,678
Scott F. Partridge	Reg. No. 28,142
James B. Arpin	Reg. No. 33,470
Jay B. Johnson	Reg. No. 38,193
Robert W. Holland	Reg. No. 40,020
James L. Baudino	Reg. No. 43,486
Tara D. Knapp	Reg. No. 43,723
William R. Borchers	Reg. No. 44,549
Brian W. Oaks	Reg. No. 44,981
Luke K. Pedersen	Reg. No. 45,003
Matthew B. Talpis	Reg. No. 45,152
David M. Doyle	Reg. No. 43,596
Keiko Ichiye	Reg. No. 45,460
Jeffery D. Baxter	Reg. No. 45,560
Thomas A. Beaton	Reg. No. 46,543
Kurt M. Pankratz	Reg. No. 46,977
Brian E. Szymczak	Reg. No. 47,120
Thomas J. Frame	Reg. No. P47,232

Patent Agents:

Brian A. Dietzel	Reg. No. 44,656
Kevin R. Imes Reg.	Reg. No. 44,795

all of the firm of Baker Botts L.L.P., my attorneys/agents with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith, and to file and prosecute any international patent applications filed thereon before any international authorities.

Send Correspondence To:

Baker Botts L.L.P.
2001 Ross Avenue
Dallas, Texas 75201-2980

Direct Telephone Calls To:


Christopher W. Kennerly
at (214) 953-6812
Atty. Docket No. 020431.0737

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.


Full name of the sole (or first) inventor

Jason R. English

Inventor's signature



Date



Residence (City, County, State)

Dallas, Dallas County, Texas

Citizenship

United States of America

Post Office Address

4125 Sperry Street
Dallas, Texas 75214

006260" 20452960